



# LED STRIP LIGHTS

LED柔性軟燈條 (P62-67)

8mm Single Colour LED Flexi Strip 8mm單色LED柔性軟燈條



SMD 3528 12V 60LED/meter




Product Features:

- Super compact strip with SMD LED technology
- Available in 12V DC maximum
- Flexible Strip with 3M self-adhesive tapes at back for easy fixing
- 60pcs LEDs per meter, 7.5M per reel
- Cuttable every 50mm at the scissors symbol
- Maximum angle of bend 120
- Wide ambient temperature: -20°C.. +65°C
- Average life 50,000 hrs


產品特點:

- SMD LED技術, 超小緊湊
- DC12V直流供電
- 柔性光條, 3M背膠, 隨意安裝
- 每米60顆LED, 顏色一致性高
- 每50mm剪刀標注位置可剪斷使用
- 最大發光角度120度
- 更寬的使用環境溫度-20°C...+65°C
- 50,000小時壽命

Dimensions




Connection Instructions



Model No. 型號	Colour 顏色	Input 輸入電壓 (V)	LED/Meter LES數/米 (PCS)	Power/Meter 功率/米 (W)	Lumens/Meter 流明/米 (lm)	Dimensions LxWxH 尺寸 (mm)	Length/ Cuttable Unit 長度/可切割 (mm)	Wave Length 波長 (nm)	Weight 重量 (g)	IP 防水等級
FL8-3528R-12-60-IP20	Red	DC 12V	60	4.8	90	7500x8x2.2	50	620	125	20
FL8-3528G-12-60-IP20	Green	DC 12V	60	4.8	180	7500x8x2.2	50	520	125	20
FL8-3528B-12-60-IP20	Blue	DC 12V	60	4.8	60	7500x8x2.2	50	470	125	20
FL8-3528W-12-60-IP20	Day Light 6000K	DC 12V	60	4.8	260	7500x8x2.2	50	—	125	20
FL8-3528WW-12-60-IP20	Warm White 3000K	DC 12V	60	4.8	240	7500x8x2.2	50	—	125	20
FL8-3528R-12-60-IP65	Red	DC 12V	60	4.8	90	7500x8x3.5	50	620	260	65
FL8-3528G-12-60-IP65	Green	DC 12V	60	4.8	180	7500x8x3.5	50	520	260	65
FL8-3528B-12-60-IP65	Blue	DC 12V	60	4.8	60	7500x8x3.5	50	470	260	65
FL8-3528W-12-60-IP65	Day Light 6000K	DC 12V	60	4.8	260	7500x8x3.5	50	—	260	65
FL8-3528WW-12-60-IP65	Warm White 3000K	DC 12V	60	4.8	240	7500x8x3.5	50	—	260	65
FL8-3528R-12-60-IP67	Red	DC 12V	60	4.8	90	7500x10x4.0	50	620	450	67
FL8-3528G-12-60-IP67	Green	DC 12V	60	4.8	180	7500x10x4.0	50	520	450	67
FL8-3528B-12-60-IP67	Blue	DC 12V	60	4.8	60	7500x10x4.0	50	470	450	67
FL8-3528W-12-60-IP67	Day Light 6000K	DC 12V	60	4.8	260	7500x10x4.0	50	—	450	67
FL8-3528WW-12-60-IP67	Warm White 3000K	DC 12V	60	4.8	240	7500x10x4.0	50	—	450	67

## 10mm Single Colour LED Flexi Strip 10mm單色LED柔性軟燈條



Red

Green

Blue

Warm White

Day Light

### SMD 3528 12V 60LED/meter




#### Product Features:

- Super compact strip with SMD LED technology
- Available in 12V DC maximum
- Flexible Strip with 3M self-adhesive tapes at back for easy fixing
- 60pcs LEDs per meter, 5Mtr per reel
- Cuttable every 50mm at the scissors symbol
- Maximum angle of bend 120°
- Wide ambient temperature: -20°C..+65°C
- Average life 50,000 hrs


#### 產品特點:

- SMD LED技術，超小緊湊
- DC12V直流供電
- 柔性光條，3M背膠，隨意安裝
- 每米60顆LED，顏色一致性高
- 每50mm剪刀標注位置可剪斷使用
- 最大發光角度120度
- 更寬的使用環境溫度-20°C...+65°C
- 50,000小時壽命

#### Dimensions



#### Connection Instructions




Model No. 型號	Colour 顏色	Input 輸入電壓 (V)	LED/Meter LES數/米 (PCS)	Power/Meter 功率/米 (W)	Lumens/Meter 流明/米 (lm)	Dimensions LxWxH 尺寸 (mm)	Length/ Cuttable Unit 長度/可切割 (mm)	Wave Length 波長 (nm)	Weight 重量 (g)	IP 防水等級
FL10-3528R-12-60-IP20	Red	DC 12V	60	4.8	90	5000x10x2.2	50	620	90	20
FL10-3528G-12-60-IP20	Green	DC 12V	60	4.8	180	5000x10x2.2	50	520	90	20
FL10-3528B-12-60-IP20	Blue	DC 12V	60	4.8	60	5000x10x2.2	50	470	90	20
FL10-3528W-12-60-IP20	Day Light 6000K	DC 12V	60	4.8	260	5000x10x2.2	50	—	90	20
FL10-3528WW-12-60-IP20	Warm White 3000K	DC 12V	60	4.8	240	5000x10x2.2	50	—	90	20
FL10-3528R-12-60-IP65	Red	DC 12V	60	4.8	90	5000x10x3.5	50	620	190	65
FL10-3528G-12-60-IP65	Green	DC 12V	60	4.8	180	5000x10x3.5	50	520	190	65
FL10-3528B-12-60-IP65	Blue	DC 12V	60	4.8	60	5000x10x3.5	50	470	190	65
FL10-3528W-12-60-IP65	Day Light 6000K	DC 12V	60	4.8	260	5000x10x3.5	50	—	190	65
FL10-3528WW-12-60-IP65	Warm White 3000K	DC 12V	60	4.8	240	5000x10x3.5	50	—	190	65
FL10-3528R-12-60-IP67	Red	DC 12V	60	4.8	90	5000x12x4.0	50	620	300	67
FL10-3528G-12-60-IP67	Green	DC 12V	60	4.8	180	5000x12x4.0	50	520	300	67
FL10-3528B-12-60-IP67	Blue	DC 12V	60	4.8	60	5000x12x4.0	50	470	300	67
FL10-3528W-12-60-IP67	Day Light 6000K	DC 12V	60	4.8	260	5000x12x4.0	50	—	300	67
FL10-3528WW-12-60-IP67	Warm White 3000K	DC 12V	60	4.8	240	5000x12x4.0	50	—	300	67

# High Output LED Flexi Strip 高亮度LED柔性軟燈條



Warm White



Day Light

## SMD 5050 24V 60LED/meter




### Product Features:

- Super compact strip with SMD LED technology
- Available in 24V DC maximum
- Flexible Strip with 3M self-adhesive tapes at back for easy fixing
- 60pcs LEDs per meter, 6Mt per reel
- Cuttable every 100mm at the scissors symbol
- Maximum angle of bend 120
- Wide ambient temperature: -20°C..+50°C
- Average life 50,000 hrs


### 產品特點:

- SMD LED技術，超小緊湊
- DC24V直流供電
- 柔性光條，3M背膠，隨意安裝
- 每米60顆LED，顏色一致性高
- 每100mm剪刀標注位置可剪斷使用
- 最大發光角度120度
- 更寬的使用環境溫度-20°C...+50°C
- 50,000小時壽命

### Dimensions



### Connection Instructions



Model No. 型號	Colour 顏色	Input 輸入電壓 (V)	LED/Meter LES數/米 (PCS)	Power/ Meter 功率/米 (W)	Lumens/ Meter 流明/米 (lm)	Dimensions LxWxH 尺寸 (mm)	Length/ Cuttable Unit 長度/可切割 (mm)	Weight 重量 (g)	IP 防水等級
FL10-5050W-24-60-IP20	Day Light 6000K	DC 24V	60	14.4	1200	6000x10x2.2	100	150	20
FL10-5050WW-24-60-IP20	Warm White 3000K	DC 24V	60	14.4	1100	6000x10x2.2	100	150	20
FL10-5050W-24-60-IP65	Day Light 6000K	DC 24V	60	14.4	1200	6000x10x3.5	100	300	65
FL10-5050WW-24-60-IP65	Warm White 3000K	DC 24V	60	14.4	1100	6000x10x3.5	100	300	65
FL10-5050W-24-60-IP67	Day Light 6000K	DC 24V	60	14.4	1200	6000x12x4.0	100	420	67
FL10-5050WW-24-60-IP67	Warm White 3000K	DC 24V	60	14.4	1100	6000x12x4.0	100	420	67

## RGB LED Flexi Strip

## RGB LED柔性軟燈條



RGB

### SMD 5050 12V 30LED/meter




#### Product Features:

- Super compact strip with SMD LED technology
- Available in 12V DC maximum
- Flexible Strip with 3M self-adhesive tapes at back for easy fixing
- 30pcs LEDs per meter, 6Mt per reel
- Cuttable every 100mm at the scissors symbol
- Maximum angle of bend 120
- Wide ambient temperature: -20°C..+50°C
- Average life 50,000 hrs


#### 產品特點:

- SMD LED技術, 超小緊湊
- DC12V直流供電
- 柔性光條, 3M背膠, 隨意安裝
- 每米30顆LED, 顏色一致性高
- 每100mm剪刀標注位置可剪斷使用
- 最大發光角度120度
- 更寬的使用環境溫度-20°C...+50°C
- 50,000小時壽命

#### Dimensions




#### Connection Instructions



Model No. 型號	Colour 顏色	Input 輸入電壓 (V)	LED/Meter LES數/米 (PCS)	Power/ Meter 功率/米 (W)	Lumens/ Meter 流明/米 (lm)	Dimensions LxWxH 尺寸 (mm)	Length/ Cuttable Unit 長度/可切割 (mm)	Weight 重量 (g)	IP 防水 等級
FL10-5050RGB-12-30-IP20	RGB	DC 12V	30	7.2	250	6000x10x2.2	100	150	20
FL10-5050RGB-12-30-IP65	RGB	DC 12V	30	7.2	250	6000x10x3.5	100	300	65
FL10-5050RGB-12-30-IP67	RGB	DC 12V	30	7.2	250	6000x12x4.0	100	420	67

# RGB LED Flexi Strip

# RGB LED柔性軟燈條



RGB

SMD 5050 24V 60LED/meter




**Product Features:**

- Super compact strip with SMD LED technology
- Available in 24V DC maximum
- Flexible Strip with 3M self-adhesive tapes at back for easy fixing
- 60pcs LEDs per meter, 6Mt per reel
- Cutable every 100mm at the scissors symbol
- Maximum angle of bend 120
- Wide ambient temperature: -20°C..+50°C
- Average life 50,000 hrs


**產品特點:**

- SMD LED技術，超小緊湊
- DC24V直流供電
- 柔性光條，3M背膠，隨意安裝
- 每米60顆LED，顏色一致性高
- 每100mm剪刀標注位置可剪斷使用
- 最大發光角度120度
- 更寬的使用環境溫度-20°C...+50°C
- 50,000小時壽命

**Dimensions**



**Connection Instructions**



Model No. 型號	Colour 顏色	Input 輸入電壓 (V)	LED/Meter LES數/米 (PCS)	Power/ Meter 功率/米 (W)	Lumens/ Meter 流明/米 (lm)	Dimensions LxWxH 尺寸 (mm)	Length/ Cutable Unit 長度/可切割 (mm)	Weight 重量 (g)	IP 防水等級
FL10-5050RGB-24-60-IP20	RGB	DC 24V	60	14.4	500	6000x10x2.2	100	150	20
FL10-5050RGB-24-60-IP65	RGB	DC 24V	60	14.4	500	6000x10x3.5	100	300	65
FL10-5050RGB-24-60-IP67	RGB	DC 24V	60	14.4	500	6000x12x4.0	100	420	67